



## » WG145

**WG 145 Handrail Wall Protection System**

WG145 wall protection band have dimensions of 145 mm width, and 85 mm depth. ARFEN's WG 145 wall protection & handrail system is an elegant handrail system which protects walls from impact damage and wear and also provides support to patients. The decorative vinyl cover are produced in 32 different colours. It is installed to the walls with brackets with an interval of 60 to 75 cm.

WG005 Bracket



WG006 Left and Right End



WG007-1 Internal Bit




WG007-2 External Bit



WG145

## » WG145-1

**WG 145-1 VINYL LED Lighting Handrail and Wall Protection**

VINYL LED lighting Handrail designed to provide guidance for hospital corridors at night-time. WG 145-1's low energy consumption and decorative appearance make our LED lighting handrail system a preferred guard system for hospitals. WG 145-1 wall protection band have dimensions of 145 mm width, and 85 mm depth and assembled to the wall with a continuous aluminium profile. WG 145-1 is not only a wall protection system, it is also a handrail system that is designed to support patients. LED illumination channels are integrated in the bottom of the profile. Profile length is 4 meters and decorative vinyl cover is produced in 32 different colours. It is installed to the walls with different fixing elements with an interval of 60-75 cm.

WG005 Bracket



WG006 Left and Right End



WG007-1 Internal Bit




WG007-2 External Bit



WG145-1

## » WG146

**WG 146 Handrail Wall Protection System (Economic)**

WG146 wall protection band have dimensions of 145 mm width, and 85 mm depth. ARFEN's WG 146 wall protection & handrail system is an elegant handrail system which protects walls from impact damage and wear and also provide support to patients. The decorative vinyl cover are produced in 32 different colours and profile length is 4 meters. It is installed to the walls with brackets with an interval of 60 to 75 cm.

WG005 Bracket



WG006 Left and Right End



WG007-1 Internal Bit




WG007-2 External Bit



WG146

## » DC140

**DC 140 Handrail & Wall Protection System**

DC 140 Handrail Wall Protection System is decorative wall protection band with 140 mm width and 75 mm depth . Continuously curved wall protection band is installed to the wall by using continuous aluminium retainer. It absorbs impacts due to lower rubber wick and offers modern solutions by decorative end caps and accessories. Its superstructure and wide guard area make it an ideal system for hospitals, shopping centres, public buildings, schools and areas exposed to heavy human-traffic. Vinyl cover is provided with the same colour of the decorative finish end parts. The profile length is 4 meters and produced in 32 different colours.

DC005 Bracket



DC006-1 Left End



DC006-2 Right End



DC007-1 Internal Bit





DC007-2 External Bit



DC140



## » WG152

**WG 152 Handrail & Wall Protection System**

WG 152 Handrail Wall Protection System is decorative wall protection band with 152 mm width and 85 mm depth. A continuous aluminium retainer is fastened to the wall at 60-75 cm intervals by using mounting brackets. Vinyl coated wall protection system is resistant to scratching and absorbs the impacts through lower rubber Inserts and offers modern solutions by decorative right and left returns. Profile length is 4 meters and produced in 32 different colours. By Its antibacterial formulation (does not contain any heavy metal ingredient) is ideal for hospitals, nursing houses and clinics.

WG005 Bracket



WG026 Left End



WG027 Right End



WG028 Internal Bit




WG029 External Bit



WG152

## » WG50

**WG 50 Handrail System**

WG 50 can be used for holding purposes in hospitals corridors, common areas and staircase openings. Its colour alternatives, warm decorative texture and end parts are not available in any other Railing systems. It can be utilized as railing systems in schools, hotels, malls, business centres and houses. Profile length is 4 meters and produced in 32 different colours.

WG010 Handrail Bracket



WG011 Handrail Elbow



WG017 Handrail Bracelet




WG018 Handrail End Cap



WG50

## » WG42

**WG 42 Handrail System**

WG 42 can be used for holding purposes in hospitals corridors, common areas and staircase openings. Its colour alternatives, warm decorative texture and end parts are not available in any other railing systems. It can be used as railing systems in schools, hotels, malls, business centres and houses. The other differences of WG42 is to have stainless steel connection pieces which makes it look more aesthetic and fancy. The profile length is 4 meters and produced in 32 different colours.

WG033 Stainless Steel Mounting Bracket



WG034 Stainless Steel End




APPLICATIONS



WG42

## » WG42-1

**WG 42-1 Handrail System**

WG 42-1 can be used for holding purposes in hospitals corridors, common areas and staircase openings. Its colour alternatives, warm decorative texture and end parts are not available in any other railing systems. It can be used as railing systems in schools, hotels, malls, business centres and houses. The other differences of WG42-1 is to have all of the connecting pieces are stainless and aesthetic appearance to walls can be provided terrifically. The profile length is 4 meters and produced in 32 different colours.

WG031 Handrail Mounting Bracket



WG032 Handrail End



APPLICATIONS



WG42-1





## » WG42-2



### WG 42-2 Wooden Handrail System

WG 42-2 can be used for holding purposes in hospitals corridors, common areas and staircase openings. WG 42-2 stands out by its wooden body part and stainless steel finishing ends. The profile length is 4 meters.

WG038 Stainless Steel Return



WG039 Stainless Steel Bracket



WG043 Stainless Steel Ring



APPLICATIONS



WG42-2



## » WG42-3



### WG 42-3 Stainless Steel & Vinyl Handrail System

WG 42-3 can be used for holding purposes in hospitals corridors, common areas and staircase openings. Its colour alternatives, warm decorative texture and end parts are not available in any other railing systems. It can be used as railing systems in schools, hotels, malls, business centres and houses. The difference of WG42-3 handrail system is that, as all of the connecting pieces are stainless and aesthetic appearance to walls can be provided terrifically. The profile length is 4 meters and produced in 32 different colours.

WG034 Stainless Steel Return



WG039 Stainless Steel Bracket




APPLICATIONS



WG42-3

## » WG100

**WG 100 Wall Protection System**

WG 100 has 100mm width and 20mm depth. It is design to absorb impacts by its continues aluminium profile and middle gasket. Provides a decorative view with colourful end parts along with scratchproof vinyl top cover. The profile length is 4 meters and produced in 32 different colours.

WG020 Right and Left End




APPLICATIONS



WG100



## » WG150

**WG 150 Wall Protection System**

WG 150 has 150mm width and 20mm depth. It is designed to absorb impacts by its continues aluminium profile and middle gasket. Provides a decorative view with colourful end parts along with scratchproof vinyl top cover. The profile length is 4 meters and produced in 32 different colours.



WG013 Right and Left End




WG014 External Corner




WG150

## » WG150-2

**WG 150-2 Door Kick Protection**

WG 150-2 has 150mm width and 10mm depth. It is designed to protect the doors from kicking impacts by its continues aluminium profile and middle gasket. Also usable in service corridors to absorb impacts caused by service carts and thus, it provides functional and decorative integrity in buildings. The profile length is 4 meters and produced in 32 different colours.



WG036 Left and Right End




APPLICATIONS



WG150-2



## » WG200

**WG 200 Wall Protection System**

WG 200 has 200mm width and 35mm depth. It is designed to absorb impacts by its continuous aluminium profile and middle gasket. Provides a decorative view with colourful end parts along with scratchproof vinyl top cover. Mounted to walls with 50 to 60 cm intervals by screws. The profile length is 4 meters and produced in 32 different colours.

WG001 Left End



WG002 Right End



WG003 External Corner





WG004 Internal Corner



WG200

## » WG201


**WG201 Wall Protection System**

WG 201 has 200mm width and 20mm depth. It is designed to absorb impacts by its continuous aluminium profile and middle gasket. Provides a decorative view with colourful end parts along with scratchproof vinyl top cover. Fixed to walls with 50 to 60 cm intervals by screws. The profile length is 4 meters and produced in 32 different colours.

**WG030 Right and Left End****APPLICATIONS**

WG201

## » DC150

**DC 150 Handrail Wall Protection System**

DC 150 Handrail Wall Protection System is decorative wall protection band with 150 mm width and 30 mm depth. Continuously curved wall protection band is installed to the wall by using continuous aluminium retainer. It absorbs impacts due to lower rubber wick and offers modern solutions by decorative end caps and accessories. Its superstructure and wide guard area make it an ideal system for hospitals, shopping centres, public buildings, schools and areas exposed to heavy human-traffic. Vinyl cover is provided with the same colour of the decorative finish end parts. The profile length is 4 meters and produced in 32 different colours

DC013 Right and Left End



DC014 External Corner





APPLICATIONS



DC150



## » DC200

**DC 200 Handrail Wall Protection System**

DC 200 Handrail Wall Protection System is decorative wall protection band with 200 mm width and 30 mm depth. Continuously curved wall protection band is installed to the wall by using continuous aluminium retainer. It absorbs impacts due to lower rubber wick and offers modern solutions by decorative end caps and accessories. Its superstructure and wide guard area make it an ideal system for hospitals, shopping centres, public buildings, schools and areas exposed to heavy human-traffic. Vinyl cover is provided with the same colour of the decorative finish end parts. The profile length is 4 meters and produced in 32 different colours.

DC001 Right and Left End



DC003 External Corner




APPLICATIONS



DC200



## » CR50

**CR 50- Chair Rail Wall Protection System**



CR 50- Chair Rail Wall Protection System is a decorative wall protection band with 50 mm width and 20 mm depth. It is designed to protect the walls from chair impacts by its continuous aluminium profile and middle gasket. Also usable in hospital corridors to absorb impacts caused by service carts and thus, it provides functional and decorative integrity in buildings. The profile length is 4 meters and produced in 32 different colours.

**WGO16 Right and Left End****APPLICATIONS**

CR50

## DECORATIVE PVC CABLE CHANNEL SKIRTING BOARD &amp; DECORATIVE WALL PROTECTION

## » DC101

**DC 101 decorative PVC cable channel skirting board**

DC 101 & DC 100 are textured and decorative PVC cable channel skirting boards. All the finishing end parts are available (Internal, external, right and left ends). Can be quoted as a piece (not meter) if requested. The profile length is 4 meters and produced in 32 different colours.


DC019 Right End

DC020 Left End


DC021 External Corner

DC022 Internal Corner

DC101



## » DC100

**DC 100 Decorative Wall Protection System**

DC 100 is a decorative vinyl system that has aluminium structure inside. Usually, DC 100 is preferred in hotels and residential projects. Anti-Scratch vinyl cover length is 4 meters and produced in 32 different colours.


DC015 Right End

DC016 Left End

DC017 External Corner



DC018 Internal Corner

DC100





## » WG1004

**WG 1004 Vinyl Plate**


WG 1004 Plate system is 1000 mm wide. It protects and preserves building interior walls against impacts and wears. These economic plates are installed quickly and simply. They are produced in 32 different colours and 3 meters length.

## APPLICATIONS




WG1004

## ARFEN VINYL PLATE



Vinyl Sheet **WG1004**External Corner Bit **WG 1004-4**Top Cover **WG1004-1**Connection Bit **WG1004-2**Internal Corner Bit **WG1004-3**

Silicone Sealant





## » WG154-204-304

**WG 154 - 204 - 304 Glued Vinyl Sheets**

WG154 - 204 - 304 sheets are 150mm, 200mm, and 300mm width. It protects and preserves building interiors against impact damage and wear. These economic plates are installed quickly and simply. It is produced in 4 meters lengths and 32 different colours.

Roller



Vinyl Bound Sheet Adhesive




APPLICATIONS



WG154-204-304

## ARFEN VINYL DOOR PLATES &amp; KICK PLATES

**DG Series Vinyl Door Kicking Plates**




ARFEN's Decorative DG Series sheets are designed to protect the doors. Compatibleness design of the place is maintained by the same colour vinyl wall and corner guards. Provides full protection by hygienic and antibacterial structure. Although, there are standard dimensions, the new dimensions can be also developed basis of the project specifications. Especially used in hospitals, schools and offices and commercial places. Produced in 4 meter lengths and 32 different colours.

APPLICATIONS



DG SERIES

## » CG50

**CG50 Corner Protection System**




CG 50 is a corner protection system that has aluminium insider and decorative non-deformable and non-stretchable upper vinyl cover. CG50 can be used in all kinds of structures such as, hospitals, restaurants, hotels, dormitories, universities, military buildings and public buildings to protect the corners of the walls. It can be produced in a specific length (L: 1meter, L: 1.50meter) as well as at the floor height. Manufactured in 32 different colours.

## WG012 End Cap



CG50

## » CG51

**CG51 Corner Protection System**



CG51 is used in childcares, hospitals and student dorms with differently designed rounded shape.

## WG037 End Cap




CG51

## » CG50B

**CG 50B PVC Glued Corner Protection**

CG 50B is a corner protection system that has a decorative non-deformable and non-stretchable upper vinyl cover. CG 50B can be used in all kinds of structures such as, hospitals, restaurants, hotels, dormitories, universities, military buildings and public buildings to protect the corners of the walls. It can be produced in a specific length (L: 1meters, L: 1.50meters) as well as at the floor height. Manufactured in 32 different colours.

## » CG25B




APPLICATIONS



CG50B



## » CG76

**CG76 Corner Protection System**

CG 76 is a corner protection system which composed of aluminium insider and decorative non-deformable and non-stretchable upper vinyl cover. CG76 can be used in all kinds of structures such as, hospitals, restaurants, hotels, dormitories, universities, military buildings and public buildings to protect the corners of the walls. It can be produced in a specific length (L: 1meter, L: 1.50meter) as well as at the floor height. Manufactured in 32 different colours.

WG008 End Cap




APPLICATIONS



CG76

## » CG76A


**CG 76A Angled Corner Protection**

CG 76-135° is a corner protection system which composed of aluminium insider and decorative non-deformable and non-stretchable upper vinyl cover. CG76 can be used in all kinds of structures such as, hospitals, restaurants, hotels, dormitories, universities, military buildings and public buildings to protect the corners of the walls. It can be produced in a specific length (L: 1meters, L: 1.50meters) as well as at the floor height. Manufactured in 32 different colours.

**WG009 End Cap****APPLICATIONS**

CG76A

## » RG150



**RG 150 Rubber Wall Guard System**

RG 150 - Rubber Wall Guard System prevents deformation on walls and columns with 150mm width and 20mm depth. ARFEN's decorative RG 150 is usually used in carparks, factories and busy service corridors. There are two reflector bands on it which also helps drivers to see the right distance when parking. It can be used in a specific height (L: 1 meter, L: 1.50 meter ) as well as at the floor height. Product's length is 3 meters.

## RG01 Right and Left End




## APPLICATIONS



RG150





## » RG50

**RG 50 TPE Corner Protection System**

RG50 – (50mm x 50mm) is used for protecting columns and wall corners. TPE based corner protection is glued to the area with an appropriate adhesive. Production lengths are 1000mm, 1200 mm or 3000 mm.

RG50

## » RG101


**RG 101 TPE Corner Protection**

RG101 – (10mm x 100mm) is used for protecting columns and wall corners. TPE based corner protection is glued to the area with an appropriate adhesive. Production lengths are 1000mm, 1200 mm or 3000 mm

RG101



## » RG80


**RG 80 Rubber Protection System**

RG 80 - Rubber Corner Guard System prevents deformation on walls and columns. ARFEN's decorative RG 80 is usually used in carparks, factories and busy service corridors. The top end cap makes it look more decorative. It can be produced in specific heights (L: 1 meter, L: 1.50 meter) as well as at the floor height. Product's length is 3 meters.

RG02 End Cap




APPLICATIONS






RG80

» HSP 75




» HSP 100

» HSP 150




HSP 75-100-150




## » HSP 151



## » HSP 200



## » HSP 102


**HSP Series Hygienic Skirting Board and Wall Protection Systems**

ARFEN HSP series skirtings and wall protection bands are produced from a flexible and soft PVC raw material. Produced in yellow colour to avoid any accidents by being cautious.


APPLICATIONS




## » WG200 SS

**WG 200 SS Stainless Steel Wall Protection Systems**

304 quality Stainless Steel wall protection systems are produced in 200 mm width and 1 mm thickness. The stainless steel top cover is fitted on aluminium system to be mounted to wall. Impact absorber gaskets are used inside to avoid any damages.





## Stainless Steel Texture Options




WG200 SS

## » WG150 SS

**WG150 SS Stainless Steel Wall Protection Systems**

WG 150 SS - Decorative Stainless Steel wall protection system is produced in 150 mm width and 1 mm thickness.




## Stainless Steel Texture Options




WG150 SS





## » CG 50S



## » DETAIL


**CG50S- 75S-100S Stainless Steel Corner Protections**

ARFEN's 304 quality stainless steel profiles are produced in 1 mm thickness and used in shopping centres, hotels, restaurants, schools and government buildings. These impact resistant corner protection systems can be produced in specific heights (L: 1 meter, L: 1.50 meter) as well as at the floor height. Assembled to wall corners by screws, polyurethane adhesive or double sided tape.





## STAINLESS STEEL DOOR KICK PLATE AND DOOR PROTECTION PLATE

## » KP 85S-105S-115S-125S

**KP85S-105S-115S-125S Stainless Steel Door Kick Plate and Door Protection Plate**


Made of 304 quality 1mm satin door kick plates are fixed with stainless steel screws to the both sides of door wings and bottom wings. Alternative size options are: 85-105- 115-125 cm for width and 15-20- 25cm for height. The stainless door kick plates are generally used in service doors of schools, hotels, restaurants, cafes, hospitals and dining halls which looks very elegant, durable, enduring and esthetical.

APPLICATIONS




KP 85S -105S-115S-125S


## » WG1004 SS



SS01



SS02



SS03




SS04


**WG1004 SS Stainless Steel Vinyl Sheets**

ARFEN's WG 1004 SS sheets are made of 304 or 316 quality stainless steel metal. They are glued to the walls with special adhesive and very compatible with its specially designed corner guard. These hygienic, fireproof sheets are produced in different sizes of 1000 mm, 1250 mm, 1500 mm widths and 0.8 mm, 1.00, 1.5 mm thicknesses. Usually used in, shopping centres, hospitals, metro stations, and food and health departments.

WG1004 SS



## » WG501



## » WG502

**WG 501 & WG502 Stainless Steel Ovoid Corner Protection Systems**


Provides protection to walls and column corners to avoid any potential damages caused by forklifts, service cars and pallet jacks. Usually used in food departments (restaurant and etc.) and markets.

WG501 &amp; WG502





## INDOOR ENTRANCE MAT SYSTEMS

## HF 03

**HF 03 Aluminium Entrance Mat System**

Indoor matting system that holds dirt and mud by aluminum profiles with carpet surface and brush type scraper. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type placed in a specific slot. Depth is 2 cm. Below inserts provide sound-proof solution.

## HH 04

**HH 04 Aluminium Entrance Mat System**

Indoor matting system that holds dirt and mud by aluminum profiles with carpet and brush type surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type placed in a specific slot. Depth is 2 cm. Below inserts provide sound-proof solution.

## Carpet Colours



Black



Grey



Red




Camel






## OUTDOOR ENTRANCE MAT SYSTEMS

## KF 08

**KF 08 Aluminium Entrance Mat System**

Outdoor matting system that holds dirt and mud by aluminum profiles with rubber inserted and brush type top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type placed in a specific slot. Depth is 2 cm. Below inserts provide sound-proof solution.


## KF 09

**KF 09 Aluminium Entrance Mat System**

Outdoor matting system that holds dirt and mud by aluminum profiles with brush type top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type placed in a specific slot. Depth is 2 cm. Below inserts provide sound-proof solution.




## HH 05

**HH 05 Aluminium Entrance Mat System**


Indoor matting system that holds dirt and mud by aluminum profiles with wide carpet surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type placed in a specific slot. Depth is 2 cm. Below inserts provide sound-proof solution.

## HH 06

**HH 06 Aluminium Entrance Mat System**

Indoor matting system that holds dirt and mud by aluminum profiles with wide carpet surface and aluminium type scrapers. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type placed in a specific slot. Depth is 2 cm. Below inserts provide sound-proof solution.

## HH 07

**HH 07 Aluminium Entrance Mat System**

Indoor matting system that holds dirt and mud by aluminum profiles with wide carpet surface and brush type scrapers. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type placed in a specific slot. Depth is 2 cm. Below inserts provide sound-proof solution.

## Carpet Colours



Black



Grey





Red






Camel



**T01****T01 Thin Series Carpet Top Surface Entrance Mat System**

Rollable and durable indoor matting system that holds dirt and mud by low height and perforated PVC connection profiles. Depth is 12 mm. Can be produced poll type and frame type.

**T02****T02 Thin Series Carpet Top Surface With Scrapers Entrance Mat System**

Indoor matting system that holds dirt and mud by aluminium scraper profiles and reduces dirt to the substrate by perforated PVC connection profiles.

**» FLYMAT 022**


Thin Series  
Frame Profile

**» FLYMAT 027**


Thin Series Pool  
Type Edge Profile

**» MB2515**



Over Finish Pool  
Type Edge Profile




## T03


**T03 Thin Series Carpet Top Surface With Brush Type Scrapers Entrance Mat System**


Thin series carpet top surface with brush type scrapers entrance mat system. Decorative and durable indoor matting system that holds dirt and mud by low height and perforated PVC connection profiles.



## T04


**T04 Thin Series Carpet and Brush Top Surface Entrance Mat System**

Suitable for heavy pedestrian traffic indoor matting system that holds dirt and mud by carpet and brush top surfaces.



## Carpet Colours



Black





Grey





Red



Camel







**T05**



**T05 Thin Series Rubber Inserted Surface With Brush Type Scrapers Entrance Mat System**

Thin series outdoor entrance mat system. Decorative and durable outdoor matting system that holds dirt and mud by brush type scrapers and rubber inserted surfaces.

**T06**

**T06 Thin Series Rubber Inserted Surface Entrance Mat System**

Decorative and durable outdoor rubber inserted matting system that holds dirt and mud by low height and perforated PVC connection profiles.

**T07**

**T07 Thin Series Rubber Inserted Surface With Scrapers Entrance Mat System**

Suitable for heavy pedestrian traffic outdoor matting system that holds dirt and mud by carpet and brush top surfaces.