



# WALL AND CORNER PROTECTION AND ARCHITECTURAL SYSTEMS

[www.arfen.com](http://www.arfen.com)



entrance  
mat systems

---

aluminium &  
PVC skirtings

---


decoration  
profiles

---

wall & corner  
protection  
systems



for information



# ARFEN®



Since the day it was founded, ARFEN has been producing solutions in high quality standards to meet construction and industrial sectors demand, and has achieved significant success with its business partners not only in domestic markets but also in international markets. To be able to reach this success, our motto strictly have been " Continues in quality and customer focused approach". Arfen continues its activities in 18.000 m2 closed area in İstanbul Hadımköy Industrial area, Çorlu Organized Industrial area and Gebze Organized Industrial area. It has become one of the most significant and greatest manufacturer in plastic, alu minum and rubber industry with a management approach that has adopted the principle of specialization in manufacturing. While Arfen applies modern production systems, it also providessensitivity to work safety, human health and environment. Arfen fulfills the need of construction industry with its dilatation profiles, Arfen Bridge expansion profiles and bearings, Arfen decoration profiles, Viny wall and corner protection systems, Aluminum matting systems and Hydroflex & chamfer bands. Moreover, having available high machinery and equipment capacity, Arfen meets the specific product requirements of different sectors. As a result of working in numerous projects without any problems, Arfen has gained a Global market network coverage in more than 50 countries in the construction industry. Arfen's perfection and excellence in production quality is provided by its hard working and honest employees from lowest levels to top managers. After 20 years of working with an understanding of business and ethics, we would like to thank our employees, our customers and suppliers for their contributions.



Arfen Construction Company / İSTANBUL



Arfen Aluminium Company / TEKİRDAĞ




Arfen Bridge and Building Technology Company / İZMİT



## ADVANTAGES

- ✓ Our products certified by ce and under quality classifications of ISO 9001:2008
- ✓ Our products have VOC test report which is not included harmful gas to human nature
- ✓ Our materials do not contain heavy metals, according to that the materials are not harmful and due to that they have ROHS certified.
- ✓ Our materials are antibacterial. we have test report by TÜBITAK.
- ✓ We have impact test reoprnt and fire classification of B1.
- ✓ Impact strength has reported by Yıldız Technical Universty with high values.
- ✓ Environmental effects considered by ÇED certification.
- ✓ Our end caps made by "Polyamide 6" instead of "ABS" and it has 4-5 times more than impact resistance and not fragile as "ABS".
- ✓ Impact absorber TPE inserts have resistance to all weather conditions and have TSE document.
- ✓ All raw materials (plastic, aluminium) used for our manufacturing process are all recyclable.





## COLOUR OPTIONS


Note: Colors are printing colors.  
For color selection, please ask for a color chart.



20- WHITE



21- OFF WHITE



23-IVORY CREAM



24- WHEAT



25- SAND BEIGE



26- CAPPUCINO



28- LIGHT BROWN



29- BEIGE




30- CINNAMON




32- MOCHA



39- PEARL GREY



40- POLISHED GREY



41- LIGHT GREY



42- DARK GREY



43- ANTHRACITE GREY



48- MIMOSA



49- YELLOW



50- HARDAL



51- MANDARIN




52- CORAL



53- ROSE BUFF



54- BRONZE



58- RED



59- BORDEAUX



70- LIGHT GREEN



71- LIGHT TURQUOISE



72- DARK TURQUOISE



74- PISTACHIO GREEN



75- DARK GREEN



80- ICE BLUE




81- LIGHT BLUE



82- LILAC




83- BLUE



84- SKY BLUE



85- DARK BLUE



### VINYL PLATE SYSTEMS

They are antibacterial wall protection sheets and tapes that protect the impact area in operating rooms, cold rooms, narrow corridors and service corridors, reducing paint and maintenance costs.

PAGE  
05-10



### HANDRAIL AND WALL PROTECTION

They are wall protection with their handrail form that are used in structures such as hospitals, nursing homes and clinics to protect people against accidents and falls.

PAGE  
11-16



### HANDRAIL SYSTEMS

It is used for holding in school, hotel, hospital corridors and common areas. At the same time, it is used for holding purposes in disabled rooms and wet areas.

PAGE  
17-24



### CRASH RAIL SYSTEMS

They are vinyl protective systems on aluminum used to reduce maintenance and repair costs, and to protect people and places against impacts with their shock absorbing structure.

PAGE  
25-34



### CORNER PROTECTION SYSTEMS

They are vinyl over aluminum or adhesive vinyl corner protection systems used to protect the corners of walls and columns and those that hit areas in all kinds of structures and to absorb impacts.


PAGE  
35-38



### RUBBER & TPE WALL AND CORNER PROTECTION SYSTEMS

They are rubber or TPE based wall and corner protection systems that do not absorb impacts in all kinds of parking structures and service corridors, loading and unloading areas.

PAGE  
40-46



### STAINLESS STEEL PROTECTION SYSTEMS

They are wall and corner protection bands and handrail systems of various types and sizes, made of 304 or 316 quality stainless according to the nameplate.

PAGE  
47-51



## STANDARD ENTRANCE MAT SYSTEMS

They are indoor and outdoor matting systems with 22 mm height carpet, rubber, brush, scraper top surface.

PAGE  
53-57



## THIN SERIES ENTRANCE MAT SYSTEMS

They are also indoor and outdoor matting systems with 12 mm high carpet, rubber, brush, scraper top surface.

PAGE  
58-65



## ALUMINUM AND PVC SKIRTINGS

They are decorative and functional aluminum and PVC skirting details from 50 mm to 150 mm.

PAGE  
66-74



## STAIR NOSE PROFILES

They are stair nosing profiles in various sizes produced from aluminum, PVC and non-slip tapes.


PAGE  
75-77



## TRANSITION, LEVEL DIFFERENCE, CARPET AND PARQUET FINISH PROFILES

They are used at the points where the finishing and interlacing of various floor coverings such as parquet, ceramic, granite, marble, carpet are required.

PAGE  
78-79



## CERAMIC, MARBLE, GRANITE, CORNER AND FINISH PROFILES

Bathtub edge and border Profiles  
Terrazzo finish profiles  
Drywall end-start profiles

PAGE  
80-82



## STAINLESS STEEL PROFILES

It covers the stainless models of ceramic inner and outer corner, skirting and corner protection profiles.

PAGE  
83-84

# Antibacterial Decorative Wall Protection Panels



**LESS PAINTING**



**LESS MAINTENANCE**



**LESS COST IN 4 YEARS**

Anti bacterial vinyl sheets produced according to prevent wear and tear on walls and door surfaces indoors, against scratches and bumps with 32 colour options. You can beautify your places with our presented models with decorative pictures. This increases the use in various places.

Beacuse of the antibacterial future; specially used in health and education sectors, as breif; all hygienic and sterile environment that can be applied very easy by adhesive wall coverings according to Bs2d0 fire classification (EN13501) selected for lot of projects.

Produced as 0,8 mm - 3 mm thickness with special pattern and foil covered vinyl plates; has end caps such as upper cover part, middle connection part, internal and external corner parts.In this way, the expansion that may occur due to heat change It provides ease of assembly by reducing the problems in cases of shrinkage and shrinkage. Also, optionally between the platesIt is also possible to apply silicone sealant in its own color.


Thanks to special cuts and picture prints, Although the usage areas are very wide, it is used in schools, hospitals, in hotels, shopping malls, kindergartens, airport terminal buildings, in all sterile and hygienic corridors,It is used intensively in the service traffic corridors.

Vinyl wall panels are cleanable and aesthetic properties, as well as reducing maintenance and repair costs. It has a contemporary texture and structure that is more preferred than other alternative wall protection products.




# EDUCATIONAL AND DECORATIVE WALL PLATES


**Space Explorer**



**Green Garden**



**Blue Sky**



**Let's Learn the Traffic Rules**



**Go to Bed Early  
Wake Up Early**



**Throw the Garbage  
in the Trash Bin**



**I Wash  
My Hands Often**



**I Always Get On  
Well With My Friends**





**I Always Say Hi**



# WG1004

## ARFEN VINYL PLATES



### VINYL PLATE DIMENSIONS

Width	Height	t1 (mm)	t2 (mm)	t3 (mm)
1000	2000	1	1,5	2
1000	3000	1	1,5	2
1200	2400	1	1,5	2
1200	3000	1	1,5	2
1250	2500	1	1,5	2
1250	3000	1	1,5	2


Unless otherwise stated, our standard production is 1000x3000x1,5 mm

According to the calculations, in case of repairing the paint every 2 years vinyl plate system pays for it self in 4 years


WG 1004 vinyl sheet is produced in 1 mm, 1.5 mm and 2 mm thicknesses and in 1000 mm, 1200 mm, 1250 mm widths and various lengths. They are decorative sheets that are adhered to the walls with special adhesives and protect your walls from scratches. Easily cleanable and washable thanks to its structure, it meets the needs of a wide area from hospitals to production areas. As it is produced in different colors, the vinyl plates are suitable with the other construction materials. 1.5 mm is produced as standard. Others can be produced according to order quantity.




### OPTIONAL ACCESSORIES



EXTERNAL END CAP WG 1004-4



UPPER COVER WG1004-1




CONNECTION PART WG1004-2





INTERNAL END CAP WG1004-3

# VINYL PLATES ASSEMBLY PARTS



# WG154-204-304 ARFEN VINYL PLATES



WG154 - 204 - 304 vinyl plates are 2 mm thick and 150 mm, 200 mm, 300 mm width. These decorative sheets protect your walls from scratches by sticking to walls and doors with special adhesives. It is decorative with its scratch-proof top patterned structure. Since it is produced in 32 different colors, it is applied in harmony with other building materials. Plate lengths are produced in 4 meters.



ROLLER BRUSH

VINYL BOND PLATE ADHESIVE



# DG SERIES

## VINYL DOOR KICK PLATE

DG01      DG03      DG07      DG10      DG11


DG12      DG13      DG14      DG15      DG16

ARFEN Vinyl Door Kicking Plate has a special design in order to prevent doors from being damaged and also creating a decorative appearance. As the colors used are compatible with the wall and corner protection systems, an integrity is achieved. It is hygienic with its antibacterial structure and provides full protection. Production can be made in standard sizes and models, as well as alternatives can be developed on a project basis. Door protection plates, which are widely used, are especially suitable for hospitals, schools and commercial areas. Profile lengths are 4 meters and are produced in 32 different colors.



# WG145

HANDRAIL WALL PROTECTION



WG145 wall protection band has 145 mm width, 85 mm depth with a hand grip structure, mounted on the wall with a continuous rear aluminum profile. It absorbs the impacts with the help of the bottom gasket. It is decorated with its scratch-proof top vinyl cover. It also create a perfect system due to the end caps that match with the vinyl top cover. It is connected to different walls with different fixing accessories by means of the wall brackets (WG005) with an interval of 60-75 cm. Profile lengths are 4 meters and are produced in 32 different colors.



WG 005  
BRACKET




WG007-2  
EXTERNAL CORNER



WG007-1  
INTERNAL CORNER



WG006  
LEFT AND RIGHT END



# WG145-1

WALL PROTECTION HANDRAIL WITH LED

HANDRAIL WALL  
PROTECTION  
SYSTEMS



WG145-1 is LED illuminated handrail and wall protection with a width of 145 mm and a depth of 85 mm, mounted on the wall with a continuous aluminum profile. It absorbs the impacts due to the bottom rubber wicks. It is decorated with its scratch-proof top vinyl cover. It also create a perfect system with the end caps that look the same as the vinyl top cover. It is connected to different walls with different fixing accessories by means of the wall bracket (WG005) with an interval of 60-75 cm. Profile lengths are 4 meters and are produced in 32 different colors.



WG 005  
BRACKET



WG007-2  
EXTERNAL CORNER




WG007-1  
INTERNAL CORNER



WG006  
LEFT AND RIGHT END

# WG146

HANDRAIL WALL PROTECTION SYSTEM



WG146 is a handrail and wall protection with a width of 145 mm and a depth of 85 mm, mounted on the wall with a continuous aluminum profile. It absorbs the impacts due to the bottom rubber wicks. It is decorated with its scratch-proof top vinyl cover. It creates a perfect system with the end caps that look the same as the vinyl top cover. It is also connected to different walls with different fixing accessories by means of the wall bracket (WG005) with an interval of 60-75 cm. Profile lengths are 4 meters and are produced in 32 different colors.



WG 005  
BRACKET



WG007-2  
EXTERNAL CORNER



WG007-1  
INTERNAL CORNER




WG006  
LEFT AND RIGHT END

# DC140

HANDRAIL WALL PROTECTION

HANDRAIL WALL  
PROTECTION  
SYSTEMS



DC140 is a handrail and wall protection with a width of 140 mm and a depth of 75 mm, mounted on the wall with a continuous aluminum profile. It absorbs the impacts due to the bottom rubber wicks. It is decorated with its scratch-proof top vinyl cover. It creates a perfect system with the end caps that look the same as the vinyl top cover. It is also connected to different walls with different fixing accessories by means of the wall bracket (DC005) with an interval of 60-75 cm. Profile lengths are 4 meters and are produced in 32 different colors.



DC005 BRACKET



DC006-1 LEFT END




DC006-2 RIGHT END



DC007-1  
INTERNAL CORNER



DC007-2  
EXTERNAL CORNER



# WG152

HANDRAIL WALL PROTECTION



A decorative wall protection tape with a new handlebar structure, 152 mm (6 inches) wide and 85 mm deep. The continuous rear aluminium carrier profile is fixed to the wall by means of the grip elements used at 60-75 cm intervals. Wall protection with a scratch-resistant vinyl top cover system absorbs the impacts thanks to the lower styles and offers a contemporary solution with decorative end pieces. Its antibacterial and heavy metal-free unique formulation is ideal for use in healthcare facilities such as hospitals, nursing homes and clinics. Profile lengths are 4 meters and are produced in 32 different colours.



WG005 BRACKET



WG026 LEFT END



WG027 RIGHT END




WG028  
OUTER CORNER



WG029  
INSIDE CORNER

# WG152-1

WALL PROTECTION WITH COMBO RAIL HANDLE



Arfen WG 152 combo rail is a system that completely changes the stainless strip or wood patterned strips applied to the middle part as well as allows the use of different colours of the wall protection band holding part and the lower body.



WG044 LEFT END




WG045 RIGHT END



DC 005 BRACKET

# WG50

HANDRAIL SYSTEM



WG 50 is used sparingly in hospital corridors and common areas, stairwells. It can be used as a handrail system in buildings such as schools, hotels, shopping malls, business centres and residences due to its colour alternatives, warm decorative texture and end pieces that are not available in the handrail system. The profile lengths are 4 meters and are produced in 32 different colours.



WG010 BRACKET




WG011  
HANDRAIL ELBOW



WG017  
HANDRAIL RING



WG018  
HANDRAIL PLUG



# WG50

## HANDRAIL SYSTEM

HANDRAIL SYSTEMS

WG010 BRACKET



WG010-1 STAINLESS BRACKET



WG011 HANDRAIL ELBOW



WG11-2 WG50 HANDRAIL INSIDE AND OUTER CORNER.



WG017 HANDRAIL RING



WG018 HANDRAIL PLUG



WGP18 18'LİK HORIZONTAL CONNECTION PROFILE



WG019 40 SHAFT HEAD SPRING.



WG021 18" OUTER PIPE SUPPORT



WG021-2 18" INNER PIPE SUPPORT



WG50 50 mm HANDRAIL PIPE



WG024 WG50 MIRROR



WG025 40 STRUT MIRROR



WG040 40'LİK STITCH PROFILE





WG041 WG40 STRUT COVER




WG022 18" PIPE PLUG



The WG50 Railing System is a patented railing system that offers colour alternatives that no other system provides for both stairwells and gallery spaces in turn structures. Due to its structural compatibility with other systems, it offers various usage options by using some accessories of stainless or aluminium. It is resistant to scratches and impacts with its internal aluminium carriers and vinyl cover. Profile lengths are 4 meters and they are produced in 32 different colours.





# WG42

STAINLESS & VINYL HANDRAIL SYSTEM



WG 42 is used in hospital corridors and common areas, stairwells, for holding purposes. In addition, it can be used as a handrail system in buildings such as schools, hotels, shopping malls, city centres and residences due to its colour alternatives, warm decorative texture and finishing parts that are not found in any other handrail system. The difference between the WG 42 Handrail system is that it provides an aesthetic appearance to the walls thanks to the rusting of the turn connection parts. Profile lengths are 4 meters and they are produced in 32 different colours.




WG033 STAINLESS BRACKET



WG 034 STAINLESS ELBOW

# WG42-1

VINYL HANDRAIL SYSTEM




It is used in hospital corridors and common areas, and in stairwells, for holding purposes. It is economical due to the polyamide handle part. Profile lengths are 4 meters and they are produced in 32 different colours.



WG031 BRACKET



WG032  
HANDRAIL ELBOW




# WG42-2

WOODEN HANDRAIL SYSTEM



**WG 039**  
Stainless Concealed Screw  
Aesthetic Grip



WG 42-2 is used for holding in hospital corridors and common areas, stairwells. What makes the WG 42-2 handrail system different is that the main body is wooden and the turn fittings are stainless. Profile length: 4 meters.




WG038  
STAINLESS ELBOW



WG039  
STAINLESS BRACKET




WG043  
STAINLESS RING



# WG42-3

STAINLESS & VINYL HANDRAIL SYSTEM

HANDRAIL SYSTEMS




WG42-3 It is used in hospital corridors and common areas, and in stairwells, for holding purposes. In addition, it can be used as a handrail system in buildings such as schools, hotels, shopping centres, business centres and residences due to its colour alternatives, warm decorative texture and finishing parts that are not available in any other handrail system. What makes the WG 42-3 handrail system different is that it provides an aesthetic appearance to the walls thanks to the fact that the turn connection parts are stainless. Profile lengths are 4 meters and they are produced in 32 different colours.



WG034  
STAINLESS ELBOW



WG039  
STAINLESS BRACKET



# WG42-4

VINYL HANDRAIL SYSTEM



WG42-4 is used in hospital corridors and common areas, and in stairwells for holding purposes. It is a handrail system fixed 40mm away from the wall according to international standards. It is easy to assemble and it has a decorative and aesthetic look due to its plastic bracket. The profile lengths are 4 meters and they are produced in 32 different colours.




WG062  
HANDRAIL BRACKET



WG063  
HANDRAIL ELBOW

# WG42-5

## HANDRAIL SYSTEM



HANDRAIL  
SYSTEMS




WG 42-5 is used for holding purposes in hospitals, offices and public buildings, corridors and stairwells. It is easy to assemble and also decorative due to its aluminium handle. Profile lengths are 4 meters and they are produced in 32 different colours.



WG064 ALUMINIUM  
HANDRAIL BRACKET



WG063  
HANDRAIL ELBOW



# WG100


WALL PROTECTION CRASH RAIL



WG 100 is a wall protection tape that is mounted on the wall with a continuous aluminium profile with a width of 100 mm and a depth of 20 mm. It absorbs the impacts thanks to the bottom wick and is widely used as a chair back due to its narrow structure. It is especially common in doctor's rooms, waiting areas and classrooms. Produced in 32 different colours, the permit is applied in harmony with other building materials. Profile lengths are produced in 4 meters.



WG020  
RIGHT AND LEFT END



# WG150

WALL PROTECTION CRASH RAIL




WG013  
RIGHT AND LEFT END

WG014  
OUTER CORNER



WALL  
PROTECTION  
SYSTEMS

WG 150 is a wall protection tape that is mounted on the wall with a continuous aluminium profile with a width of 100 mm and a depth of 20 mm. It absorbs the impacts thanks to the bottom wick. They are used to protect the walls against impacts in areas where the use of wall protection tapes with hand grips is not appropriate, especially in corridors narrower than 2 meters. Profile lengths are produced in 4 meters.



# WG150-2


DOOR KICK PLATE



WG036  
RIGHT AND LEFT END



It is a door plinth band that is mounted on the lower part of the doors with a profile on aluminium with a width of 150 mm and a depth of 10 mm. It is produced with lower TPE to prevent the doors from being damaged in the passing traffic of heavy service cars. It is common in service corridors, swing doors, and elevators to dampen shocks. Profile lengths of 4 meters are produced.



# WG200

WALL PROTECTION CRASH RAIL



WG200 is a wall protection tape with a width of 200 mm and a depth of 35 mm, which is mounted on the wall with a continuous rear aluminium profile. It absorbs the impacts thanks to the lower Styles. Thanks to its 35 mm depth and lift shock absorber wick, it is used especially for heavy-duty corridors for protection against impacts. Profile lengths are 4 meters and are produced in 32 different colours.



WG001  
LEFT END



WG002  
RIGHT END




WG003  
OUTER CORNER



WG004  
INNER CORNER

# WG201

WALL PROTECTION CRASH RAIL



WALL  
PROTECTION  
SYSTEMS




WG 201 is a wall protection tape with a width of 200 mm and a depth of 20 mm, which is mounted to the wall with a continuous rear aluminium profile. It absorbs the impacts thanks to the lower wicks. It provides a wide protection area in corridors narrower than 2 meters thanks to its 200 mm top width. For this reason, they are highly preferred in hospital corridors that are in intensive use. Profile lengths are 4 meters and are produced in 32 different colours.




WG030  
LEFT AND RIGHT END

# DC150

WALL PROTECTION CRASH RAIL




DC 150 is a wall protection tape that is mounted on the wall with a continuous aluminium profile with a width of 150 mm and a depth of 30 mm. It absorbs the impacts due to the bottom wick. Its curved top surface is preferred in many projects. Produced in 32 different colours, the permit is applied in harmony with other building materials. Profile lengths are produced in 4 meters.



DC013  
RIGHT LEFT END CAP



DC014  
EXTERNAL CORNER




# DC200

WALL PROTECTION CRASH RAIL

WALL PROTECTION SYSTEMS




DC 200- It is a wall protection tape that is mounted on the wall with a continuous aluminum profile with a width of 200 mm and a depth of 30 mm. It absorbs the impacts due to the bottom insert. It is decorative with its scratch-proof top vinyl cover. With the end pieces, that look the same as the vinyl top cover, a decorative finish is provided. It is manufactured in 32 different colors and provides a harmonious appearance with other building materials. Profile length is manufactured as 4 meters.



DC001  
RIGHT LEFT END CAP



DC003  
EXTERNAL CORNER



# WG101

BEDHEAD PROTECTOR




WG101 is a Bedhead Protector system that can be used in all kinds of buildings such as hospitals. This system can be produced in standard and non-standard lengths and also consists of aluminum and PVC cover. Hospital bedhead protectors provide simple, effective protection that keeps walls in perfect condition, reducing ongoing maintenance requirements and associated costs. It is manufactured in 32 different colors and provides a harmonious appearance with other building materials. Profile lengths are manufactured as 4 meters.



WG060 RIGHT AND LEFT END CAP

# WG101

BEDHEAD PROTECTOR WITH BRACKET



WALL  
PROTECTION  
SYSTEMS

WG101 is a Bed Head Protector system that can be used in all kinds of buildings such as hospitals. This system can be produced in standard and non-standard lengths and also consists of aluminum and PVC cover. Hospital bedhead protectors provide simple, effective protection that keeps your walls in perfect condition, reducing ongoing maintenance requirements and associated costs. It is manufactured in 32 different colors and provides a harmonious appearance with other building materials. Profile lengths are manufactured as 4 meters.





WG005  
HANDRAIL BRACKET




WG060  
RIGHT LEFT END CAP

# CR50 CHAIR RAIL



WG016  
RIGHT LEFT END CAP




# DC101

DECORATIVE PVC SKIRTING WITH CABLE DUCT



WALL  
PROTECTION  
SYSTEMS

Patterned decorative PVC skirting with cable channels. The profile has right-left end elements, external and internal corner pieces. If requested, it is priced as a piece. Profile lengths are 4 meters and are manufactured in 32 different colors.




# DC100

DECORATIF WALL PROTECTION TAPE



DC100 is a vinyl wall protection tape system on aluminum that is mostly used for decorative purposes in hotel and residence projects. It is decorative with its scratch-proof top vinyl cover. Profile lengths are 4 meters and manufactured in 32 different colors.



# CG50


CORNER PROTECTION SYSTEM



WG012  
CORNER END CAP



G50 is the corner guard which is made of non-deformable and scratch-resistant vinyl with an aluminum bottom and decorative top surface, which can be used in all kinds of structures such as hospitals, shopping malls, restaurants, hotels, dormitories, universities, dormitories, military buildings and public buildings to protect the wall corners during the use of buildings protection system. It can be produced in a specific height (L: 1 m, L: 1.50 m) as well as throughout the floor height. It is decorative with its top end cap. It is manufactured in 32 different colors.



# CG51

CORNER PROTECTION SYSTEM




WG037  
CORNER END CAP



It is a corner protection system that is used in kindergartens, dormitories and hospitals with more shock absorbing and deformation properties than other corner protections.


CG 50B



# CG25B CG50B


STICK ON CORNER GUARD


CG 25B



CORNER  
PROTECTION  
SYSTEMS

CG 25B & CG 50B are an adhesive corner protection system made of non-deformable and non-scratch vinyl with a decorative top surface, which can be used in all kinds of structures such as hospitals, shopping malls, restaurants, hotels, dormitories, universities, dormitories, military buildings and public buildings to prevent deformations on the wall corners during the use of buildings. They can be used in a specific height (L: 1 m, L: 1.50 m) or it is applied with vinyl plate adhesive throughout the floor height. They are manufactured in 32 different colors.





# CG76


CORNER PROTECTION SYSTEM



WGO08 END CAP



CG76 is a vinyl over aluminum corner protection system that can be used in all kinds of buildings such as hospitals, shopping malls, hotels, dormitories, universities and public buildings to protect the corners of the walls. It can be used in a specific height (L: 1 m, L: 1.50 m) as well as throughout the floor height. It is decorative with a top end cap. It is manufactured in 32 different colors.




# CG76B

CORNER PROTECTION SYSTEM



CG76 B is a corner protection system made of non-deformable and scratch-proof vinyl with a decorative top surface, which can be used in all kinds of buildings such as hospitals, shopping malls, restaurants, hotels, dormitories, universities, dormitories, military buildings and public buildings to prevent deformations on the wall corners during the use of buildings. It can be used in a specific height (L: 1.20 m, L: 1.50 m) as well as throughout the floor height. It is manufactured in 32 different colors.



# CG76A


ANGULARITY CORNER GUARD SYSTEM



CORNER  
PROTECTION  
SYSTEMS




WG009  
CORNER END CAP



# WG102

BED HEAD STOPER




WG102 The bedhead stopper, which is fixed by screwing to the ground with its strong structure of aluminum, forms an integrity with the clips and cover that installs on it. Not only with the bedside stopper function in hospitals, but also in all intensive service vehicle traffic, food carts, clean dirty laundry carts, etc. in the shuttles where wheeled vehicles pass, provides a stopper without being hit to the wall. Aluminum bed head stopper, which is mostly produced as 1 meter for patient beds, is produced in natural anodized or ral paint colors, and it is also manufactured in 3 meter lengths for other places.



WG062 END CAP

# RG150


RUBBER WALL PROTECTION SYSTEM



RUBBER & TPE  
WALL PROTECTION  
SYSTEM



RG01 RIGHT AND  
LEFT END CAP



# RG151 RG200

TPE WALL PROTECTION SYSTEM

✓ 100% Recyclable    ✓ Does not leave traces and colors




TPE wall protection system with a width of 150 - 200 mm, thickness of 20 - 25 mm is used in parking lots, factories or in areas where deformation can be more intense to prevent deformations that may occur on the walls. It prevents areas from being damaged for many years with its strong structure. It does not cause pollution and bad appearance during application with its special formula. Profile lengths are manufactured as 3 meters. Color alternatives are black and grey.




# RG50 & RG101

TPE CORNER PROTECTION SYSTEM



RG50






RG101



It is a TPE based corner protection profile which is applied with suitable adhesives to wall and column corners with width of 50 - 100mm wing. They are manufactured in 1000 /1500/3000 mm lengths.

RUBBER & TPE  
WALL PROTECTION  
SYSTEM






# RG80

RUBBER CORNER PROTECTION SYSTEM



RG02 END CAP



# RG100

RUBBER CORNER PROTECTION SYSTEM



Used as protecting corner deformations in factories or areas where deformation may be more intense but especially in parking lots by the dimensions of 100 mm x 100 mm. Colour alternatives; black and grey. Can be used as specific length such as 1,00 mt, 1,50 mt but also can be used as standard 3 mt length. Provides straight appearance because of the TPE and continuous metal retainer.

RUBBER & TPE  
WALL PROTECTION  
SYSTEM




RG03 END CAP  
(FOR CHAMFER COLUMNS)


# HSP SERIES

HYGIENIC SKIRTING AND WALL PROTECTION



HSP 75



HSP 100



HSP 150




HSP Series wall corner guards and skirting boards are produced from soft hygienic PVC raw material and are produced in yellow colour to attract attention and stimulate. It is used on surfaces that should be hygienic such as dining halls, cold storage, and food facilities. It can be used easily on washable walls.




# HSP SERIES

HYGIENIC SKIRTING AND WALL PROTECTION



HSP 102



HSP 151




HSP 200



RUBBER & TPE  
WALL PROTECTION  
SYSTEM





# WG200 SS

STAINLESS WALL PROTECTION SYSTEM




## STAINLESS DESIGN OPTIONS



SS01 SS02 SS03 SS04



It is a stainless wall protection band formed by attaching a 200 mm wide 1.00 mm thick 304 quality stainless sheath to aluminium carrier profiles. It absorbs the impacts thanks to the shock-absorbing wicks.



# WG150 SS

STAINLESS WALL PROTECTION SYSTEM




## STAINLESS DESIGN OPTIONS



SS01 SS02 SS03 SS04



150 mm wide aluminium lower carrier is a 1.00 mm 304 quality decorative top cover stainless wall protection tape. Thanks to the shock-absorbing fillers, it absorbs the impact.



# WG151 SS


STAINLESS WALL PROTECTION SYSTEM



### STAINLESS DESIGN OPTIONS



150 mm wide aluminium lower carrier is a 1.00 mm 304 quality decorative top cover stainless wall protection tape. Due to the shock-absorbing fillers, it absorbs the impact.



# WG42 SS

STAINLESS HANDRAIL SYSTEM



WG033 STAINLESS STEEL MOUNTING BRACKET



WG039 STAINLESS STEEL BRACKET



WG034 STAINLESS STEEL ELBOW





It is the application of a stainless handrail with a diameter of 42 mm in accordance with international standards with its stainless decorative handles or a decorative handrail covered with vinyl on aluminium for similar purposes.

STAINLESS  
PROTECTION  
SYSTEMS

# CG50S

STAINLESS CORNER PROTECTION SYSTEM





1 mm stainless corner protection profiles produced in 304 quality, which can be used in shopping malls, hotels, restaurants, schools and public buildings, adapt to the general metal effect in the space, thanks to their stainless appearance. It is resistant to impacts that may come to corners on columns and walls. It can be used at a certain height (L: 1m L: 1.50m) as well as throughout the floor height. Although it is fixed to the wall by screws, it can be applied to corner walls and column corners with polyurethane adhesives or lift-sided tapes.




# KP SERIES

## STAINLESS DOOR PROTECTION PLATES




STAINLESS  
PROTECTION  
SYSTEMS



# WG 501 WG 502

STAINLESS CORNER PROTECTION SYSTEMS



They are oval corner protection systems that protect the corners of walls and columns against the collisions of vehicles such as forklifts or pallet trucks in food facilities, markets and all kinds of service and load corridors.

# WG1004 SS

## STAINLESS PLATES


### STAINLESS DESIGN OPTIONS



SS01 SS02 SS03 SS04



They are products that can be applied to walls with special adhesives or special end profiles made of 304 and 316 quality stainless steel with 1000 mm, 1250 mm, 1500 mm width t:1.00 mm thickness. And are hygienic, fireproof and stainless wall protection plate products that can be used in all kinds of buildings such as shopping malls, hospitals, metro stations, and food and health facilities.



[www.arfen.com](http://www.arfen.com)



# ENTRANCE MAT SYSTEMS



ENTRANCE  
MAT SYSTEMS




**HH 01**



**HH 01 Aluminium Mat System**

It is an indoor matting system that traps dirt and mud thanks to aluminium profiles with carpet top surfaces. The long-lasting mat system, which is connected to each other with steel ropes, can be framed or produced in a pool type that fits into a certain space. Its depth is 2 cm. It provides sound insulation thanks to its bottom wicks.

**HS 02**



**Carpet Colours**

-   
Black
-   
Grey
-   
Red
-   
Camel Hair

**HS 02 Aluminium Mat System**

It is an indoor matting system that traps dirt and mud due to aluminium profiles and aluminium scrapers with a carpet top surface. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation thanks to its bottom wicks.

**They can be produced in special sizes.**

Standard framed types are (40x70), (50x80), (60x90) cm.


» **FLYMAT 008**  
STANDARD SERIES  
FRAME PROFILE




» **FLYMAT 026**  
STANDARD SERIES FLUSH  
TYPE POOL SIDE PROFILE




» **MB2515**  
TOP TYPE  
POOL SIDE PROFILE






HF 03



**HF 03 Aluminum Mat System**

It is an indoor matting system that traps dirt and mud thanks to aluminium profiles and brush scrapers with a carpet top surface. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation due to its bottom wicks.

HH 04



**HH 04 Aluminum Mat System**




It is an indoor matting system that traps dirt and mud thanks to aluminium profiles and cassette brushes with carpet top surfaces. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation due to its bottom wicks.

ENTRANCE  
MAT SYSTEMS

Carpet Colours





**KK 06**



**KK 06 Aluminium Mat System**

It is an outdoor matting system that keeps dirt and mud on aluminium profiles by means of rubber strips. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation due to its bottom wicks.


**KS 07**



**KS 07 Aluminium Mat System**

It is an outdoor matting system that traps dirt and mud thanks to rubber-striped aluminium profiles and scrapers. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation thanks to its bottom wicks.

**KF 07**




"Standard colors for rubber are black and gray and can be produced in various colors."

**KF 07 Aluminium Mat System**

It is an outdoor matting system that traps dirt and mud thanks to rubber-striped aluminium profiles and brush scrapers. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation thanks to its bottom wicks.




## KF 08



### KF 08 Aluminum Mat System

It is an outdoor matting system that traps dirt and mud thanks to rubber-striped aluminium profiles and cassette brushes. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation thanks to its bottom wicks.


## KF 09



### KF 09 Aluminum Mat System

Due to the cassette brushed aluminium profiles, dirt is an outdoor matting system that traps mud. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation thanks to its bottom wicks.


## HH 05



### HH 05 Aluminium Mat System

It is an indoor matting system that traps dirt and mud thanks to aluminium profiles with a wide carpet surface. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation thanks to its bottom wicks.


## HH 06



### HH 06 Aluminium Mat System

It is an indoor matting system that holds dirt and mud thanks to wide carpet surface aluminium profiles and scrapers. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation due to its bottom wicks.

## HH 07



### HH 07 Aluminium Mat System



It is an indoor matting system that holds dirt and mud thanks to wide carpet top surface aluminium profiles and brush scrapers. The long-lasting mat system, connected to each other with steel ropes, can be framed or produced in a pool type that fits into a particular space. Its depth is 2 cm. It provides sound insulation due to its bottom wicks.

#### Carpet Colours








T01



**T01 Thin Series Carpet Top Surface Mat System**  
 It is a long-lasting indoor mat system that can be rolled and can hold dirt and dust with its low height and perforated PVC connection profiles. Its depth is 12 mm. They can be produced as recessed and framed types.



T02




- Carpet Colours
-  Black
  -  Grey
  -  Red
  -  Camel Hair

**T02 Thin Series Carpet + Scraper Top Surface Mat System**  
 They are indoor matting systems that reduce the dirt on the substrate with their perforated PVC profiles that can hold a high amount of dust and dirt thanks to their scraper profiles.

ENTRANCE MAT SYSTEMS

» FLYMAT 022  
 THIN SERIES  
 FRAME PROFILE



» FLYMAT 027  
 THIN SERIES FLUSH  
 TYPE POOL SIDE PROFILE





» MB2515  
 TOP TYPE  
 POOL SIDE PROFILE







**T03**




**T03 Carpet + Brush Top Surface Mat System**  
 They are thin series aluminium mat systems with carpet + brush top surface. They are decorative and long-lasting mat systems that can hold dust and dirt.

**T04**




**T04 Carpet + Entrance Mat System with Cassette Brushed Top Surface**  
 An indoor matting system with carpet + cassette brush that can hold dust and dirt, suitable for heavy pedestrian traffic.

- Carpet Colours**
-   
 Black
  -   
 Grey
  -   
 Red
  -   
 Camel Hair




T05




**T05 Rubber + Brush Top Surface Entrance Mat System**

A thin series outdoor matting system. It holds dust due to brush scrapers and mud thanks to rubber wicks. It is long-lasting and decorative.




T06




**T06 Thin Series Rubber Surface Mat System**

They are aluminum outdoor mat systems with a rubber top surface that can hold dirt and mud with their low height and perforated PVC connection profiles.



T07





**T07 Rubber + Scraper Top Surface Mat System**

They are outdoor matting systems that can hold dirt and mud in areas subject to heavy pedestrian traffic.





**T08**



**T08 Thin Series Mat System with Rubber Roving and Cassette Brush**  
 It is a durable and long-lasting mat system used in areas where mud and dirt are intense.


**T09**



**T09 Cassette Only Brush Mat System**  
 They are outdoor matting systems that are resistant to heavy pedestrian traffic, can hold dirt and mud at a high rate due to their decorative and long-lasting cassette brushes.




» FLYMAT 008  
STANDARD  
SERIES FRAME  
PROFILE



» FLYMAT 022  
THIN SERIES  
FRAME PROFILE




» FLYMAT 026  
STANDARD SERIES FLUSH  
TYPE POOL SIDE PROFILE




» FLYMAT 027  
THIN SERIES FLUSH  
TYPE POOL SIDE  
PROFILE



» MB2515  
TOP TYPE  
POOL SIDE PROFILE



For Custom Size When Ordering




a: Mat width  
b: Walking area size




ENTRANCE  
MAT SYSTEMS


Order Type Selection




TYPE 1  
Pool Type



TYPE 3  
Double Edge Profile




TYPE 2  
Single Edge Profile




TYPE 4  
Framed

**1. Zone: Coarse Dirt Zone:**


The first coarse dirt is cleaned with the help of a rubber and brush mat. These mats are suitable for outdoors.

**2. Zone: Fine Dirt Zone:**



Fine dirt is cleaned with the help of a rubber and brush mat. These mats are suitable for indoor and outdoors.

**3. Zone: Humidity Zone:**

Remaining dirt and moisture are cleaned with the help of carpet mat. Thus, footprints are prevented and a clean entrance is ensured.

**3-ZONE MAT SYSTEM**

The first step in maintaining hygiene in public areas is through mats. Mats that keep our spaces free of dirt and grime, while creating clean areas of use, also provide the opportunity to use adjacent floor coverings for a longer period of time. Arfen's 3-Zone Mop System brings together the right parts and turns into a solution where perfect harmony is achieved. In this system, the longer the walking zone, the higher the cleaning rate. With the six-step rule at the entrance, it reduces dirt and dust up to 90% and positively affects cleaning costs. With its non-slip feature, it prevents accidents and absorbs sound. Due to the profile and color options that are compatible with the existing architecture, many architectural and technical details have resulted in success, and we, as Arfen, continue to produce solutions in special projects.




## ARFEN DEHUMIDIFIER MAT SYSTEMS

It has the feature of keeping the dust and moisture on the feet indoors. It does not leak water to the bottom. It has a PVC base that prevents the product from slipping and protects the floor from dirt.




### Leila 42

Product Code	a (Mat Width)	b (Step Distance)
Leila 42 Red	60 cm	40 cm



### Leila 51

Product Code	a (Mat Width)	b (Step Distance)
Leila 51 Grey	60 cm	40 cm
Leila 51 Grey	90 cm	60 cm
Leila 51 Grey	150 cm	90 cm
Leila 51 Grey	120 cm	Desired Length



### Leila 55

Product Code	a (Mat Width)	b (Step Distance)
Leila 55 Black	60 cm	40 cm
Leila 55 Black	90 cm	60 cm
Leila 55 Black	150 cm	90 cm



### Arco 55

Product Code	a (Mat Width)	b (Step Distance)
Arco 55 Anthracite	90 cm	60 cm
Arco 55 Anthracite	150 cm	90 cm



Granati 40



Granati 50

### Granati 40 & Granati 50

Product Code	a (Mat Width)	b (Step Distance)
Granati 40	200 cm	Desired Length
Granati 50	200 cm	Desired Length



**EXAMPLES OF APPLICATIONS**





[www.arfen.com](http://www.arfen.com)

**ALUMINIUM &  
PVC SKIRTINGS**



ALUMINIUM  
& PVC  
SKIRTINGS



## FLAT SURFACE RADIUS ALUMINIUM SKIRTING BOARDS


50, 60, 80, 100, 120, 150 mm high aluminium baseboards that can be applied by adhering or tightening. ASP 82-92-100-120 Series have right, left, end and inner outer corner elements. It is produced from aluminium.




**ASP 100 FINISHING ELEMENTS**

<b>ASP10</b> Right End & Outside Corner		<b>ASP11</b> Left End & Outside Corner		<b>ASP12</b> Inner Corner	
---	---	--	---	---------------------------------	---

It is produced from aluminium. It is painted in the desired colour.




Each product has right, left, inner and outer corners made of aluminium.



## IMPLEMENTATION STEPS

**1**  
A mounting template is made with the plastic mounting apparatus and small baseboard pieces. It is placed on the surface. Marking is done through the guide holes.



**2**  
Plastic mounting apparatus is placed by paying attention to the marked holes. It is fixed to the wall with 4x40 YHB screws or staples. It is fixed to the wall.




**3**  
The baseboard, which is positioned according to the nails of the mounting apparatus, is pressed flat.



**4**  
The assembly is completed by mounting the inner - outer corner and end parts.



OUTER CORNER DETAIL



INNER CORNER DETAIL





EDGE FINISH DETAIL



## STICK ON SCREW TYPE THIN SERIES SKIRTING BOARDS

They are aluminium baseboards with a height of 50,60,80,85,90 mm that can be applied with adhesive or screws.





## CHAMFERED SKIRTING BOARDS

They are aluminium baseboards that can be applied with glue or screw at 60, 80, and 120 mm height. There are right-left end and inner-outer corner elements in the ASP 80 series. It is produced from PVC.




### ASP 80 FINISHING ELEMENTS

<b>ASP03</b> Outer Corner		<b>ASP04</b> Right End		<b>ASP05</b> Left End		<b>ASP06</b> Inner Corner	
---------------------------------	--	---------------------------	--	--------------------------	--	---------------------------------	--


It is produced from PVC and painted in aluminum color.




ASP60




ASP75



ASP80



ASP121






## FUGA NAIL SKIRTING BOARDS

They are aluminium skirting boards with a height of 70,94,110 mm that can be applied with adhesive or screws.




ASP71




ASP 71 Aluminium is ideal for door frame applications.

ASP94




ASP110





## DECORATIVE SKIRTING BOARDS

130 mm and 150 mm height mounted with sub-carrier system removable when needed and thanks to the flexible bottom PVC insert, tolerant of minor elevation differences and and silicone-free decorative is a skirting system. Corner parts aluminum injection It can be painted with the same color electrostatic paint.




ALUMINIUM  
& PVC  
SKIRTINGS



## PVC SKIRTINGS

These are PVC baseboards with a height of 45,53,60,80,100 mm that can be applied with adhesive or screws.






## FLEXIBLE PVC SKIRTINGS


Suitable with PVC floor coverings, decorative pvc elastic skirting. PS5510 - PS7510 and PS9010 models are compatible to epoxy floorings




**PS 85**




**PS 86**




**PS 10010**




**PS 5510**



**PS 7510**



**PS 9010**




**PS 100**




**PS 3030**

Substrate Cushion



**PS 2020**

Substrate Cushion



**PS0004**

Welding Cord



**PS28**


Cap Profile



ALUMINIUM  
& PVC  
SKIRTINGS


## SB 10 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## SB 10-12 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## SB 11 RUBBER INSERTED STAIR NOSING PROFILE

Lightweight, easy applicable, rubber inserted and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Rubber Insert Colors**: Black, grey, cream and brown




## SB 11-12 RUBBER INSERTED STAIR NOSING PROFILE

Lightweight, easy applicable, rubber inserted and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Rubber Insert Colors**: Black, grey, cream and brown




## MB 36 RUBBER INSERTED STAIR NOSING PROFILE

Lightweight, easy applicable, rubber inserted and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## MB 41 RUBBER INSERTED STAIR NOSING PROFILE


Lightweight, easy applicable, rubber inserted and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised



## MB 50 RUBBER INSERTED STAIR NOSING PROFILE


Lightweight, easy applicable, rubber inserted and fully compatible of carpet applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised






## HB 25 STAIR NOSING PROFILE

Lightweight, easy applicable, rubber inserted and fully compatible of parquet applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## HB 18 STAIR NOSING PROFILE

Lightweight, easy applicable, rubber inserted and fully compatible of parquet applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## MB 40-25 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## MB 35 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## MB 55-1 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised





## MB 25 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




## MB 45 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




### MB 55P STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of PVC flooring applications decorative PVC stair nosing profiles  
 Method of Application: Adhesive bonded  
**Length** : 2,70 mt **Color**: Various Colors




### MB 76-2 STAIR NOSING PROFILE

Lightweight, easy applicable and fully compatible of PVC flooring applications decorative PVC stair nosing profiles  
 Method of Application: Adhesive bonded  
**Length** : 2,70 mt **Color**: Various Colors



### MB 40 STAIR NOSING PROFILES WITH ANTI SLIP TAPE


Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles with anti slip tape  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised



Bant Renkleri  


### MB 55 STAIR NOSING PROFILES WITH ANTI SLIP TAPE


Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles with anti slip tape  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised



Bant Renkleri  


### MB 75-2 STAIR NOSING PROFILES WITH ANTI SLIP TAPE

Lightweight, easy applicable and fully compatible of ceramic, granit applications decorative stair nosing profiles with anti slip tape  
 Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




Bant Renkleri  


### KB 19 - KB 25 ANTI SLIP TAPE

Self adhesive carborandum anti slip tape in 19 mm and 25 mm width  
 Method of Application: Adhesive bonded  
**Length** : 25 mt **Color**: Black and grey






### GP 41 ELEVATION DIFFERENCE PROFILE WITH HIDDEN SCREW MOUNTED CHANNEL


Lightweight, easy applicable and fully compatible of ceramic, granit, marble, parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised

Ürün renkleri temsilidir:




### GP 41-A WOODEN FINISH ELEVATION DIFFERENCE PROFILE WITH HIDDEN SCREW MOUNTED CHANNEL

Lightweight, easy applicable and fully compatible of ceramic, granit, marble,parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Wood pattern




### GP 01 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble,parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised



### GP 25 ELEVATION DIFFERENCE PROFILE


Lightweight, easy applicable and fully compatible of ceramic, granit, marble,parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised



### GP 30 ELEVATION DIFFERENCE PROFILE WITH HIDDEN SCREW MOUNTED CHANNEL


Lightweight, easy applicable and fully compatible of ceramic, granit, marble,parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised

Ürün renkleri temsilidir:




### GP 30-A WOODEN PATTERN ELEVATION DIFFERENCE PROFILE WITH HIDDEN SCREW MOUNTED CHANNEL

Lightweight, easy applicable and fully compatible of ceramic, granit, marble,parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Wood pattern



### GP 37 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble,parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised




### GP 38 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble,parquet applications, decorative elevation difference profiles  
Method of Application: Adhesive bonded or screw mounted  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised


### GP 39 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble, parquet applications, decorative elevation difference profiles  
 Method of Application: Adhesive bonded  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised




### GP 50 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble, parquet applications, decorative elevation difference profiles  
 Method of Application: Adhesive bonded or screw mounted  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised




### KF 28 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble, parquet applications, decorative elevation difference profiles  
 Method of Application: Adhesive bonded or screw mounted  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised




### KF 35 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble, parquet applications, decorative elevation difference profiles  
 Method of Application: Adhesive bonded  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised




### KF 45 ELEVATION DIFFERENCE PROFILE

Lightweight, easy applicable and fully compatible of ceramic, granit, marble, parquet applications, decorative elevation difference profiles  
 Method of Application: Adhesive bonded or screw mounted  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised




### HB 12 CARPET AND PARQUET TRIM PROFILE

Lightweight, easy applicable and fully compatible of carpet, parquet applications, decorative trim profiles  
 Method of Application: Adhesive bonded or screw mounted  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised




### HB 14 CARPET TRIM PROFILE

Lightweight, easy applicable and fully compatible of carpet applications, decorative trim profiles  
 Method of Application: Adhesive bonded or screw mounted  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised



### HB 19 PARQUET TRIM PROFILE

Aluminium parquet trim profiles  
 Method of Application: Adhesive bonded or screw mounted  
 Length : 2,70 mt Color: Mat Anodised, Yellow Anodised




## EXTERNAL CERAMIC TRIM PROFILES




» SB 0206




» SB 0201



» SB 02



» SB 03



» SB 12




» SB 04


Aluminium external ceramic trim profiles

Length: 2,70 m


Color: Mat Anodised, Yellow Anodised, Polished Anodised




## INTERNAL CERAMIC TRIM PROFILES




» ik 08



» ik 10



» ik 12




» ik 20


Aluminium Internal Ceramic Trim Profiles

Length: 2,70 m

Color: Mat Anodised, Yellow Anodised, Polished Anodised



## CERAMIC TRIM PROFILES




» SB 05



» SB 06




» SB 07



» SB 08



» SB 15



» SB 07-25




» SB 09

Aluminium ceramic trim profiles


Length: 2,70 m

Color: Mat Anodised, Yellow Anodised, Polished Anodised




## İK 27 BATHTUB EDGE PROFILE

Lightweight, easy applicable and fully compatible of bath, kitchen applications, decorative pvc bathtub edge profiles  
 Method of Application : Adhesive bonded  
**Length** : 2,50 - 2,70 - 3,00 mt **Color**: White




## İK 30 BATHTUB EDGE PROFILE

Lightweight, easy applicable and fully compatible of bath, kitchen applications, decorative two part pvc bathtub edge profiles  
 Method of Application : Adhesive bonded **Length** : 2,70 mt  
**Middle Part Color**: White(PVC) and Mat or polished anodised (Aluminium)







## İK 22 BATHTUB EDGE PROFILE

Lightweight, easy applicable and fully compatible of bath, kitchen applications, decorative pvc bathtub edge profiles  
 Method of Application : Adhesive bonded  
**Length** : 2,70 mt **Color**: White






## KERB PROFILES

Lightweight, easy applicable and fully compatible of ceramic, granit, marble applications, decorative kerb profiles  
 Method of Application: Adhesive bonded  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised, Polished Anodised




## TRANSITION PROFILES


Lightweight, easy applicable and fully compatible of parquet, ceramic, granit, marble applications, decorative profiles  
 Method of Application: Adhesive bonded  
**Length** : 2,70 mt **Color**: Mat Anodised, Yellow Anodised, Polished Anodised




» SB 51




» SB 52




» SB 53




» SB 54




» SB 55




» SB 56



» SB 57



» SB 58



## TERRAZO PROFILES


Aluminium terrazo profiles  
**Length:** 3 m  
**Color :** Non Anodised Aluminium





## DRYWALL FUGA PROFILES

Aluminium drywall fuga corner and trim profiles  
**Length:** 3,00 m **Color:** Standard production color RAL9016 and can be produced in special RAL colors


» ARF 10




» ARF 15



» ARF 10-1




» ARF 10-2





» ARF 40x15


» ARF 30-1



» ARF 30




» ARF 40x23x15




**SB03-01 10 MM STAINLESS STEEL CERAMIC CORNER PROFILE**

**Length:** 2,50 m  
**Color:** Satine or Polished  
*Produced as 304 grade stainless steel and thickness is 0,6 mm*




**SB12-01 12 MM STAINLESS STEEL CERAMIC CORNER PROFILE**

**Length:** 2,50 m  
**Color:** Satine or Polished  
*Produced as 304 grade stainless steel and thickness is 0,6 mm*




**SB05-01 STAINLESS STEEL CERAMIC CORNER PROFILE**

**Length:** 2,50 m  
**Color:** Satine or Polished  
*Produced as 304 grade stainless steel and thickness is 0,6 mm*



**SB07-01 10 MM STAINLESS STEEL CERAMIC TRIM PROFILE**

**Length:** 2,50 m  
**Color:** Satine or Polished  
*Produced as 304 grade stainless steel and thickness is 0,6 mm*




**SB08-01 12 MM STAINLESS STEEL CERAMIC TRIM PROFILE**

**Length:** 2,50 m  
**Color:** Satine or Polished  
*Produced as 304 grade stainless steel and thickness is 0,6 mm*






**SB08-20 20 MM STAINLESS STEEL CERAMIC TRIM PROFILE**




**Length:** 2,50 m  
**Color:** Satine or Polished  
 Produced as 304 grade stainless steel and thickness is 0,6 mm




**DP05-01 23 MM STAINLESS STEEL FUGA PROFILE**

**Length:** 2,50 m  
**Color:** Satine or Polished  
 Produced as 304 grade stainless steel and thickness is 0,6 mm




**ASP60-01 STAINLESS STEEL SKIRTING**

**Method of Application:** Adhesive bonded  
**Length :** 2,50 mt **Color:** Satine or Polished  
 Produced as 304 grade stainless steel and thickness is 0,6 mm



**IK10-02 STAINLESS STEEL INTERNAL CORNER PROFILE**

**Length :** 2,50 mt  
**Color:** Satine or Polished  
 Produced as 304 grade stainless steel and thickness is 0,6 mm



**CG (30S, 50S, 75S, 100S) STAINLESS STEEL CORNER PROTECTION**

**Length :** 3,00 mt  
**Color:** Satine or Polished  
 Produced as 304 grade stainless steel and thickness is 1 mm

# QUALITY CERTIFICATES



ZAG Fire Rope Test Certificate



Factory Production Control Certificate of Conformity



Effectis Fire Resistance Certificate



TSE Certificate



TSE Certificate



TSE Certificate



ISO 45001 Certificate



ISO 9001:2015 Certificate



ISO 14001:2015 Certificate



QUALICOAT SEASIDE Certificate



Factory Production Control Certificate



Brand Registration Certificate



Building information  
modeling is available  
**Please contact**

we build solutions



#### ARFEN CONSTRUCTION MATERIALS COMPANY

Head Office: Atatürk San. Bölgesi Ömerli Mah. Hakkı İleri Cad.  
Gülce Sk. No:22 Hadımköy - Arnavutköy / İSTANBUL  
Tel: +90 212 485 16 15 - Fax: +90 212 771 25 79 - [www.arfen.com](http://www.arfen.com)

#### ARFEN ALUMINIUM COMPANY

Ergene / TEKİRDAĞ - [www.arfenaluminyum.com.tr](http://www.arfenaluminyum.com.tr)

#### ARFEN BUILDING AND BRIDGE TECHNOLOGY

Dilovası / Kocaeli - [www.arfen.com.tr](http://www.arfen.com.tr)

TURKEY